

This drawing, specifications, and concepts contained herein are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

ASSY ASSY B/O PART # UNIT

П	REVISIONS									
	REV	DESCRIPTION	DATE	INITIAL	APPROVED					
	Α	CH'D TITLEBLOCK & REVISION BLOCK.	8/13/09	RJC						
	В	CH'D MATERIAL CALL-OUT FROM MAPLE OR OAK AND SPECIFIED SIZE FROM 2 X 4 X 4.	5/31/12	RJC	RW					





B/O INFORMATION OR SPECIFICATIONS

NOTES:

- 1. USED WITH RBA6300-80901 KIT.
- 2. USE HARDWOOD EXCEPT OAK.

RED BARN MACHINE

CYLINDER HOLDING BLOCK

DRAWN BY:

12-5-05 SHEET

PWG NO. RBA6300-80901-15

.015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING

NTS

APPROVED D Well
HEAT
TREAT
FINISH SAND SMOOTH
USED ON MODEL
369

PERRITT

1 of 1

В

		-15	1pr.	HOLDING BLOCK	SEE NOTE 2	1-1/2 X 3-1/2 X 4	:^^ <u>±</u>
							UNL 1.
							2. DIME
	ASSY						SCALE

MATERIAL

DESCRIPTION

		REVISIONS							
	REV	DESCRIPTION	DATE	APPROVE					

NOT APPROVED FOR PRODUCTION

				DRAWN BY: PERRITT	
				APPROVED	JUBN KED BAKN MACHINE
				HEAT TREAT	
				FINISH BLACK OXIDE	TITLE
			USED ON MODEL	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	T CALIMINES HULDING BLUCK
			?	TOLERANCES ON: DECIMALS	CILINDEN HOEDHAG DEOCK
PART #	QTY	DESCRIPTION		.XXX ± .005 FRACTIONS ± 1/32 ANGLES ±.5°	DWG NO.
1	1	41L40 Ø5/8 x 3/4		.X ± .1	26946300-20901-15
-1		41L4U 2/3/0 X 3/4		UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES	
				.015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SCALE NTS DATE 9-15-03 SHEET 1 of 1

REVISIONS							
REV	DESCRIPTION	DATE	APPROVED				

NOT APPROVED FOR PRODUCTION

DESCRIPTION 4140 3/16 x 1 1/2 x 4 BARN MACHINE TITLE **USED ON MODEL** FRACTIONS ± 1/32 ANGLES ±.5° DWG NO. REV. PART # SCALE NTS 9-15-03 SHEET 1 of 1